



www.rpc.ir
info@rpc.ir

نماینده:

● Unit15, No.25, 3rd Alley, Vozara St,
Beheshti Ave. Tehran-Iran.
Postalcode: 151368339
Telfax: +9821 88708356-7
+9821 88708361-2

● تهران، خیابان شهید بهشتی
خیابان وزرا، کوچه سوم، پلاک ۲۵، واحد ۱۵
کدپستی: ۱۵۱۳۶۸۳۳۹
تلفکس: +۹۸۲۱)۸۸۷۰۸۳۵۶-۷
+۹۸۲۱)۸۸۷۰۸۳۶۱-۲

سخن مدیر عامل: ما بر این باوریم که بهترین تبلیغ معرفی ما توسط شما مشتریان گرامی، به سایرین می باشد. اعتماد شما، مسئولیت ما را سنگین تر کرده و برای جلب رضایت شما از هیچ خدمتی فروگذاری نخواهیم کرد. با ما تفاوت ها را احساس کنید.

● دپارتمان کارشناسی

کارشناسی دقیق پروژه و شناخت نیازهای واقعی مشتریان اولین گام در ارائه خدمات مطلوب میباشد. مهندسين و کارشناسان حرفه ای و امین می توانند بهترین مشاوران شما در اتخاذ تصمیم های صحیح باشند. کارشناسان این شرکت همواره با شناخت نیازهای مشتریان، طرح هایی را پیشنهاد میدهند که مصداق عینی جمله "بالاترین کیفیت با پایین ترین هزینه" در آن رعایت شده باشد. تمام سعی کارکنان و مدیریت شرکت رایان پویس پیشبرد هر چه بهتر اهداف مشتریان و رضایتمندی آنان از نتیجه کار، که در نهایت منجر به عقد قرارداد های بیشتر با مشتریان قدیم و جدید خواهد شد، میباشد.

● دپارتمان بازرگانی

ارتباط مستمر و دائمی با تولید کنندگان داخلی و خارجی به منظور نیازسنجی مشتریان از جمله اهداف این واحد می باشد. با توجه به عصر تکنولوژی و همچنین به روز شدن محصولات، واحد بازرگانی شرکت رایان پویس همراه سعی دارد جدید ترین محصولاتی را که از لحاظ کمی و کیفی در اولویت محصولات جهان می باشد مورد بررسی قرار داده تا بتوانیم پس از تحقیقات، آزمایش و کارشناسی، در صورتی که منطبق با استانداردهای بین المللی و داخلی و همچنین مطابق با نیازهای مصرف کنندگان عزیزمان باشد، به مشتریان و همچنین بازار ایران معرفی کنیم. امروز مفتخریم که توانسته ایم با ارتباط صمیمانه و صادقانه با تولید کنندگان داخلی و خارجی بهترین و مناسب ترین محصولات با نازلترین قیمت را به مشتریان خود معرفی و عرضه نماییم.

● دپارتمان فروش

شناخت و درک نیازهای مشتری، برخورد صادقانه و ارائه مشاوره، پرهیز از بزرگ نمایی و اجتناب از جوسازی های غیرواقعی در مورد کالا و خدمات پیشنهادی، از مهمترین دلایل انتخاب این شرکت توسط مشتریان بزرگ و آگاه می باشد. واحد مهندسی فروش شرکت رایان پویس، همواره یکی از مهمترین اصول و ارکان سیاستهای اجرایی خود را در جهت شناخت بازار و جذب مشتری، براساس مشتری مداری، احترام، تعمیق و توسعه روابط تجاری فی مابین با طرفین تجاری خود پایه گذاری کرده است. این واحد با تکیه بر تجربیات و سوابق کاری گذشته و همچنین شناخت بازارهای داخلی همواره سعی در ارائه بهترین خدمات و کالاها با بالاترین کیفیت به مشتریان عزیز میباشد. امید است بتوانیم با خدمات و کالاهایی که به شما عرضه میکنیم، حسن اعتماد شما را ارج نموده و با گامی موثر در خدمت رسانی به شما عزیزان برداشته باشیم. اعتماد شما مایه افتخار ماست.

● دپارتمان پشتیبانی و خدمات پس از فروش

امروزه تمام مشتریان و مدیران موفق بر این باورند که "خدمات پس از فروش" از فروش مهمتر است. ما اعتقاد داریم که "فروش پایان معامله نیست" و این مهم در شرکت رایان پویس یک قانون مهم میباشد. سرویس دهی منظم، صحیح و تخصصی به مشتریان با بهره گیری از نیروهای متخصص، از جمله اهداف این واحد می باشد. واحد پشتیبانی و خدمات پس از فروش شرکت رایان پویس، همواره سعی در ارائه خدمات مطلوب تر و با سرعت بالا با استفاده از انواع روشهای تلفنی - حضوری و حتی راه دور (Remote) به مشتریان گرامی میباشد. ارائه راه کارهای درست و مشاوره های بی نقص و همچنین برخوردی صمیمانه و صادقانه از جمله خصوصیات این واحد می باشد. امید است که با ارائه پیشنهادات و نظرات خود ما را در ارائه خدمات بهتر یاری نمایید.

برخی از مشتریان ما

- مهندسی و ساخت برق و کنترل مپنا (مکو)
- مهندسی و ساخت بویلر مپنا (بویلر)
- دادگستری کل ایلام
- روزنامه جام جم
- شرکت سرمایه گذاریهای
- خارجی جمهوری اسلامی ایران
- شرکت و کارخانه واگن سازی مترو تهران
- آموزش و پرورش کل استان مازندران (ساری)
- سازمان اوقاف و امور خیریه استان (تهران)
- سازمان صنعتی دریایی ایران (صدرا)
- شرکت کارگزاری بورس بیمه ایران
- دانشگاه علوم پزشکی مازندران
- شرکت صادرات گاز ایران
- شرکت دارو سازی اکسیر
- شرکت و کارخانه دارو سازی زکریای تبریز (تهران/تبریز)
- شهرداری منطقه ۲ قم
- داده ورزی سداد (بانک ملی)
- انستیتو ایزایران
- اداره ثبت احوال
- شرکت تلاش و توسعه اروند (تهران/خرمشهر/بندرعباس)
- شرکت تلاش و توسعه آسیا (تهران/بندرعباس/خرمشهر)
- کارخانه تلاش گستر طوس (مشهد)
- شرکت و کارخانه تاسیسات (تهران و کاشان)
- کارخانه کاشی و سرامیک سهند اکباتان (همدان)
- شرکت و کارخانه پویا پلیمر (تهران /رباط کریم)
- شرکت و کارخانه فرآلیاژ کرمان (تهران /کرمان)
- شرکت پول شمار پارا (ماشینهای اداری ماد)
- سازمان صنایع دریایی ایران
- کارخانه فیوز صنعتی ایران (مشهد)
- کارخانه پترومبین اروند (خرمشهر)
- کارخانه تولیدی اورانوس (شهریار)
- کارخانه تولیدی نوژن گاز (شهریار)
- شرکت و کارخانه بارمان پوشش
- شرکت تولیدی دستچین
- شرکت آتی سازان (پیمانکاری نفت و گاز)
- بیمارستان امام رضا
- کانون اسلامی انصار
- شرکت فولاد کاپوین
- کارخانه تامین تابلو
- شرکت توتنا
- شرکت حمل و نقل زمینی / دریایی / ریلی مشتریان
- آراباختر (تهران - مشهد - بندرعباس)



● نصب و راه اندازی لینک های رادیویی وایرلس در فواصل طولانی (تا ۱۰۰ کیلومتر) با پهنای باند ۲۰۰ Mbps

delta link

JBQUITTI
networks



● آنتن های Galaxy



Electrical Specification (Mimo Series)

Frequency Range:	4940 - 5700 MHz
Gain:	27 dBi / 30 dBi
Beamwidth:	6°
VSWR:	1.5:1
Impedance:	50 Ohms
Input Power:	32 W
Connector:	2 x SMA-Female
Sidelobes:	-25 dB
Front to Back Ratio:	-29 dB
Cross Pole:	-25 dB












● خدمات شبکه و سیستمهای تلفن های داخلی بین نقاط دور از هم (VOIP)
● خدمات تلفن داخلی سانترال



● تولید، فروش و نصب انواع دکل های خود ایستا و مهاری با قاعده ۴۵-۴۵-۳۵ و ۶۵ مطابق با استاندارد Rohn آمریکا

● احداث چاه ارت زیر ۲ اهم با تضمین ماندگاری بالا

DATA PROJECTOR

Model	Technology	Brightness (typical)	No. of pixels	Contrast	Screen Size	Throw Distance	Net weight	Dimensions (WxHxD)	FEATURES
 PLC-XW200	3-LCD	2200	1024x768(xGA)	500:1	40"-300"	1.1-10 M	2.5 KG	333.5*85.2*247 mm	2 x Data, 1 x video input-Network Control and Monitoring Auto Set up
 PLC-XW250	3-LCD	2600	1024x768(xGA)	500:1	40"-300"	1.1-10 M	2.5 KG	333.5*85.2*247 mm	3 x Data, 1 x video input-Network Control and Monitoring Auto Set up
 PLC-XU300	3-LCD	3000	1024x768(xGA)	500:1	40"-300"	1.4-12.7M	2.6 KG	326*83.1*231.6 mm	Network Control and Monitoring Auto Set up- Pin Code Security
 PLC-XU305	3-LCD	3000	1024x768(xGA)	500:1	40"-300"	0.68-7.2M	2.9 KG	326*83.1*231.6 mm	Auto Set up -7w Built in speaker 1.6x Short throw Lens -Network Viewer and Capture with easy Wireless
 PLC-XU355	3-LCD	3500	1024x768(xGA)	500:1	40"-300"	0.68-7.2M	2.9 KG	326*83.1*231.6 mm	7W Built in Speaker -Built in LAN (RJ45) and WLAN -USB Stick Viewer -1.6x Short Throw Lens
 PLC-XU105	3-LCD	4500	1024x768(xGA)	500:1	40"-300"	0.93-11.47M	3.5 KG	334.2*78.4*257.5 mm	"360 Projection -Lens: 1.15-1.85:1 -2 x Data 1 x video input -"
 PLC-XU115	3-LCD	4500	1024x768(xGA)	500:1	40"-300"	0.93-11.48M	3.6 KG	334.2*78.4*257.5 mm	360 Projection-Network Integration with LAN Connector (RJ45) and WLAN -SD Card Reader Lens: 1.15-1.85:1
 PLC-XL51	3-LCD	2700	1024x768(xGA)	1200:1	60"-80"	-	7.7 KG	374*196.8*495 mm	Ultra short-throw Lens (80" diagonal screen @ 9cm throw distance) -SD Card Reader Built in Wired and Wireless LAN Anti-theft alarm -long life inorganic LCD Panels
 PLC-XT35	3-LCD	5000	1024x768(xGA)	1000:1	DEPENDS ON LENS		8.9 KG	348.1*164*446.8 mm	Motoriz-Professional connections (5 BNC, DVI-D) -360° projection possible
 PLC-XT21	3-LCD	4000	1024x768(xGA)	1000:1	DEPENDS ON LENS		8.7 KG	348.1*164*446.8 mm	360 degree projection -5 optional lenses -Network integration Network integration (optional) with control camera
 PLC-XTC50L	3-LCD	5000	1024x768(xGA)	1100:1	DEPENDS ON LENS		14.7 KG	451*175*550.1 mm	Active Maintenance Filter Mechanical Shutter -360 Degree Projection -5 Quick Release Lenses 5 optional lenses with bayonet lock
 PLC-XP200L	3-LCD	7000	1024x768(xGA)	2200:1	DEPENDS ON LENS		11.4 KG	370*187*439.9 mm	DVI-D(HDCP), Dsub15, 5 x BNC inputs -5 Interchangeable Lenses Networkable
 PLC-XP100L	3-LCD	6500	1024x768(xGA)	2000:1	DEPENDS ON LENS		11.4 KG	370*187*439.9 mm	Motoriz-5 interchangeable lenses Network integration (optional) with control camera



	RMS	TUNNER	CD Player/mp3 Player	Zone	Unit	Telephon Function	line in/out	Output VOL
APS-480E	360W	–	–	1	2	–	✓	4/8 Ohme -70/100V
APS-600E	480W	–	–	1	2	–	✓	4/8 Ohme -70/100V
APS-800E	600W	–	–	1	2	–	✓	4/8 Ohme -70/100V
APS-1360E	360W	–	–	1	2	–	✓	4/8 Ohme -70/100V
APS-1480E	480W	–	–	1	2	–	✓	4/8 Ohme -70/100V
APS-1600E	600W	–	–	1	2	–	✓	4/8 Ohme -70/100V
PA-1260DTU	260W	✓	✓	3	3	✓	4/3	4/8 Ohme -25/70/100V
PA-1400DTU	400W	✓	✓	3	3	✓	4/3	4/8 Ohme -25/70/100V
PA-11000DTU	1000W	✓	✓	3	3	✓	4/3	4/8 Ohme -25/70/100V
PA-1680DTU	680W	✓	✓	3	3	✓	4/3	4/8 Ohme -25/70/100V
PA-41000	1000W	–	–	4	3	✓	4/4	4/8 Ohme -25/70/100V

Creator

CR-TP4012D



Black

Touch Screen Chairman unit
3.5 inch LCD Screen, Touch Screen to
Control , Cordi Form directed for mic

CR-M4102/M4104F



Black/Silver

Embedded Voting Chairman & Delegate Unit
High Quality Embedded
Loud Speaking request
Answering , Voting Function

CR-M4102/M4104C4



Black

Embedded Voting Chairman & Delegate Unit
5 buttons for voting
3 voting types

CR-M4102/M4104C1



Black

Embedded Voting Chairman & Delegate Unit
Speaking request answering

CR-M4102/M4104A



Black

Folded Voting Digital Chairman & Delegate Unit
Voting Function , LED Display
Multifunctional button , Speaking
Request answering

CR-M4101



Grey

Flush Mounting Sound effect processor
First in First out Function
Max 6person speaking at the same time
camera track to the previous speaker
when current speaker finished

VOLUME

AT-6	6W
AT-10	10W
AT-20	20W
AT-30	30W



MICROPHONE

CM-800

White / DC 15V 400mA / 4 stage musical Condenser Microphon Cartridge



APS-2317DE

Black / 3W / 16 PCS Remotly Control Condenser Microphon



COLUMN SPEAKER

CS-212/212WP

Indoor / Outdoor Weather-Proof
12W / Max24W (Selectable),
25-70-100 V, Aluminum

CS-220/220WP

Indoor / Outdoor Weather-Proof
20W / Max40W (Selectable),
25-70-100 V, Aluminum

CS-315/315WP

Indoor / Outdoor Weather-Proof
15W / Max304W (Selectable),
25-70-100 V, Aluminum

CS-320/320WP

Indoor / Outdoor Weather-Proof
20W / Max40W (Selectable),
25-70-100 V, Aluminum

CS-330/330WP

Indoor / Outdoor Weather-Proof
30W / Max60W (Selectable),
25-70-100 V, Aluminum



CELLING SPEAKER

CSL-206

6W (selector), 2.5" , 50-70-100V , Metal



CSL-305

5W (selector), 3" , 50-70-100V , ABS



CSL-6112

12W (selectable), 6.5", 100V, Metal



CSL-6120

20W (selectable), 6.5", 100V, Metal



HORN SPEAKER

TC-25P

Round (10"), 25W, 8 Ohme, Aluminum



TC-1240 CVH/CVY

Round (12"), 40W, 50/70/100V, Aluminum



TC-1260 CVH/CVY

Round (12"), 60W, 50/70/100V, Aluminum



TS-1240 CVH/CVY

Square (12"), 40W, 50/70/100V, Aluminum



TS-1260 CVH/CVY

Square (12"), 60W, 50/70/100V, Aluminum



TC-2060 CVH/CVY

Round (20"), 60W, 50/70/100V, Aluminum



TC-1640 CVH/CVY

Round (16"), 40W, 50/70/100V, Aluminum



WIRELESS MICROPHONE

WR-221DR/WXM-276TS

V.H.F Single Channel , True-diversity



WR-802DV/SUT-801

U.H.F Single Channel , diversity



WIRELESS COLUMN SPEAKERS

CSV-640 / WT- 212 CT(V.H.F)

CSV-640 / VT- 22 PT+LM-10(V.H.F)

CSU-640 / SUT- 801 (U.H.F)

CSV-640 / UT- 86 P(J)+LM-10(U.H.F)



SWICHING MIXER

XM-212/12D/X12DA

4ch, 6 Sound Effect, Echo

DJM-412

4ch, 6 Sound Effect, Echo

DJM-412D

4ch, 6 Sound Effect, Echo



HORN UNIT

TU-35/TU-35(ML)

35W , 16 Ohme / 100V




TU-60/TU-60(ML)

35W , 16 Ohme / 100V



LENS

Varifocal	SLA-3580DN/2985D	
	2810D/550D	
	1/3" CS-Mount Varifocal	
	3.5 ~ 8mm/2.9 ~ 8.5mm 2.8 ~ 10mm/5 ~ 50mm	

DIGITAL VIDEO RECORDER

Stand-Alone	SVR-3200	
	32 Channels 960fps (Live) / half D1 960fps (Record): NTSC 800fps (Live) / half D1 900fps (Record): PAL	
	SVR-1680	
	16 Channels 480fps (Live) / D1 480fps (Record) : NTSC 400fps (Live) / D1 400fps (Record) : PAL	
	SVR-1660	
	16 Channels 480fps (Live) / 480fps (Record) : NTSC 400fps (Live) / 400fps (Record) : PAL	
	SVR-1645	
	16 Channels 480fps (Live) / 480fps (Record) : NTSC 400fps (Live) / 400fps (Record) : PAL	
	SVR-960	
	9 Channels 270fps (Live) / 270fps (Record) : NTSC 225fps (Live) / 225fps (Record) : PAL	
SVR-945		
9 Channels 270fps (Live) / 270fps (Record) : NTSC 225fps (Live) / 225fps (Record) : PAL		
SVR-940		
9 Channels 270fps (Live) / 120fps (Record) : NTSC 225fps (Live) / 100fps (Record) : PAL		
SVR-450		
4 Channels 120fps (Live) / 120fps (Record) : NTSC 100fps (Live) / 100fps (Record) : PAL		
SVR-440		
4 Channels 120fps (Live) / 120fps (Record) : NTSC 100fps (Live) / 100fps (Record) : PAL		
SVS-5R		
RAID 5 Unit 1U 19-inch rack case Data transfer speed : Up to 3.0Gbps(SATA II)		
SVS-5E		
HDD Extension Unit 1U 19-inch rack case Data transfer speed : Up to 3.0Gbps(SATA II)		

NETWORK PRODUCT

IP Camera	SNC-570	
	SV-IV, SSNR, 1/3" CCD MPEG-4/JPEG,High Resolution WDR, Network Camera,560 TV Lines	
IP Camera	SNC-550	
	W-III, SSNR, 1/3" CCD MPEG-4/JPEG,High Resolution Day & Night, Network Camera,530 TV Lines	
IP Camera	SNC-1300	
	SVM-S1, 1.3 Mega pixel ,MPEG-4/JPEG, 37X Zoom Lens,1280x960 Resolution PTZ Network Camera,2-way Audio,SD Memory	
IP Camera	SND-560	
	SV-IV, SSNR, 1/3" CCD MPEG-4/JPEG,High Resolution WDR, Network Camera,560 TV Lines	
IP Camera	SNP-3700/3750	
	SVM-S1, SSNR, 1/4" CCD,MPEG-4/JPEG, 37X Zoom Lens,High Resolution PTZ Network Camera,550 TV Lines,SD Memory	
IP Camera	SNP-3300A	
	SV-III, SSNR, 1/4" CCD MPEG-4/JPEG, 30X Zoom Lens,Low Light WDR, PTZ Network Camera,520 TV Lines	
IP Camera	SNP-1000A	
	W-III, SSNR, 1/4" CCD,MPEG-4/JPEG, 10X Zoom Lens,High Resolution PTZ Network Camera,520 TV Lines	
Software	SNR-32A/16A/9A	
	MPEG-4/JPEG 32 / 16 / 9 Channel Network Recording Software	
Network recorder	SNR-3200/6400	
	MPEG-4/JPEG 4 / 1 Channel Network Video Encoder	

CONTROLLER

Keyboard	SCC-3100A	
	System Controller for PTZ Dome, DVR & Matrix	
Keyboard	SCC-1000	
	PTZ Control Keyboard	
Quad	SDQ-420	
	Dual Color Quad Switcher	
Matrix	SMX-25632	
	256 input / 32 output Video Matrix Switcher	

MONITOR

PTZ	STM-19LA/17LA	
	19", 17" Color 1,280 x 1,024@75Hz Resolution, BNC/VGA	
	STM-19LM/17LM	
PTZ	19", 17" Color 1,280 x 1,024@75Hz Resolution, BNC/VGA	
	STM-19LP/17LP	
	19", 17" Color 1,280 x 1,024@75Hz Resolution, VGA	
PTZ	STM-42L/32L	
	42", 32" Color 1,366 x 768@60Hz Resolution, BNC/VGA	

FIXED CAMERA

DOME CAMERA

Ultra Low Light	SHC-750 SSNR, 1/2" EM-CCD Extreme Ultra Low Light ,450 TV Lines		SVD-4600/4600W SV-IV, SSNR, 1/3" CCD, Built-in V/F Lens High Resolution, Day & Night, Vandal-Resistant 560 TV Lines	
	SHC-745 SV-IV, SSNR, 1/2" CCD Ultra Low Light, High Resolution, 560 TV Lines		SVD-4400 W-IV, SSNR, 1/3" CCD, Built-in V/F Lens High Resolution, Day & Night, Vandal-Resistant 580 TV Lines	
	SHC-737 SV-IV, SSNR, 1/3" CCD High Resolution, Low Light ,580 TV Lines		SVD-4300/4300W W-III, SSNR, 1/4" CCD, 10X Zoom Lens High Resolution, Day & Night, Vandal-Resistant 500 TV Lines	
WDR	SHC-735 SV-IV, SSNR, 1/3" CCD High Resolution, WDR, Low Light, 560 TV Lines		SID-560/560W/562/562W SV-IV, SSNR, 1/3" CCD, Built-in V/F Lens High Resolution, WDR, Low Light 560 TV Lines	
Day & Night	SDN-550 W-III, SSNR, 1/3" CCD High Resolution, Day & Night, 530 TV Lines		SID-460/460W W-IV, SSNR, 1/3" CCD, Built-in V/F Lens High Resolution, Day & Night , 580 TV Lines	
	SDC-425 W-IV, SSNR, 1/3" CCD High Resolution, Day & Night, 580 TV Lines		SID-500 W-III, SSNR, 1/4" CCD, 10X Zoom Lens High Resolution, Day & Night , 500 TV Lines	
High Resolution	SDC-435 WV, SSNR, 1/3" CCD High Resolution, Day & Night, 600 TV Lines		SID-450/452 W-III, SSNR, 1/3" CCD, Built-in V/F Lens High Resolution, Day & Night , 530 TV Lines	
IR LED	SIR-4150 W-III, SSNR, 1/3" CCD, Built-in V/F Lens High Resolution, Day & Night, Built-in IR LEDs 520 TV Lines		SID-47/47W/48/48W/49/49W W-IV, SSNR, 1/3" CCD High Resolution, Day & Night , 580 TV Lines	
	SIR-4160 WV, SSNR, 1/3" CCD, Built-in V/F Lens High Resolution, Day & Night, Built-in IR 600 TV Lines		SIR-4260 WV, SSNR, 1/3" CCD, Built-in V/F Lens Day Night , Built-in IR LEDs, Smoke Dome 600 TV Lines	
	STC-14/100P Thermal Camera		SID-53/53W/56/56W W-IV, SSNR, 1/3" CCD High Resolution, Mini Dome ,580 TV Lines	

DOME CAMERA

PTZ	SPU-3700 W-IV, 1/4" CCD, 37X Zoom Lens Low Light ,Day Night, WDR, 550 TV Lines Water Proof		SIR-4250S/4250W W-III, SSNR, 1/3" CCD, Built-in V/F Lens Day & Night, Built-in IR LEDs, Smoke Dome 520 TV Lines	
	SPU-3750T W-IV, 1/4" CCD, 37X Zoom Lens Low Light ,Day Night, WDR, 550 TV Lines Weather Proof		SIR-60 W-IV, SSNR, 1/3" CCD, Built-in V/F Lens Day & Night, Built-in IR LEDs, Smoke Dome 580 TV Lines	
	SPD-3750/3750T SV-IV, SSNR, 1/4" CCD, 37X Zoom Lens Low Light, WDR , 550 TV Lines			

ACCESSORIES

PTZ	SPD-3350 SV-IV, SSNR, 1/4" CCD, 33X Zoom Lens Low Light, WDR , 550 TV Lines		For PTZ Dome Camera STH-380PO STH-370PO STH-370PI STH-360PO STH-370PE STH-370PC STB-270B STB-270PWV STB-496PPV STB-30PF STB-25PF STB-330PPM STB-340PCM STB-350PPM STB-230PW STB-280PW STH-1000PI STH-1000PO	
	SPD-3700/3700T W-IV, SSNR, 1/4" CCD, 37X Zoom Lens High Resolution, Low Light ,550 TV Lines			
	SPD-2700 W-IV, SSNR, 1/4" CCD, 27X Zoom Lens High Resolution, Low Light , 550 TV Lines			
	SPD-1000 W-III, SSNR, 1/4" CCD, 10X Zoom Lens High Resolution, Day & Night , 520 TV Lines		For Vandal-proof Dome Camera STB-319VPS STB-249VWS STB-250VC STB-225VWS STB-275VWS	
			For Fixed Camera STH-600/600H STH-500 STH-350 STH-200 STB-4150V	



کارشناسی، فروش و پیاده سازی :

● سیستم‌های امنیتی، کتتری، حفاظتی و دوربین‌های مداربسته

● شبکه‌های محلی (LAN) و گسترده (WAN) در انواع توپولوژی‌های
FDDI, MESH, STAR, WIRELESS (PTP-PTMP)

● انتقال خطوط تلفن، انتقال دیتا و تلفن داخلی رایگان بین دفاتر و
نمایندگی‌های مختلف سازمان‌ها و شرکت‌ها در سراسر دنیا

● سیستم‌های صوت و پیکینگ مخصوص سازمان‌ها و کارخانجات

● سیستم‌های کنفرانس صوتی رومیزی و ویدئو کنفرانس

● مرکز تلفن سانترال

● سیستم‌های صدای حرفه‌ای (Dolby Digital)، نور و تصویر و تجهیز
سالن‌های آمفی‌تئاتر، سینما، استادیوم و ...

● سیستم‌های هوشمند ساختمان (قفل‌های برقی، درب‌های برقی
کنترل تردد، اعلان حریق، کنترل دما، کنترل نور و ...)



شرکت رایان پویش از سال ۱۳۷۴ فعالیت خود را در زمینه خدمات انفورماتیک آغاز نمود. این شرکت با بهره گیری از نیروهای متخصص و کارآموده در مدت زمان کوتاهی توانست فعالیت های خود را گسترش داده و در بخش شبکه های کامپیوتری (Lan و Wan)، همچنین طراحی و فروش و واردات سرور و تجهیزات شبکه به موفقیت های چشمگیری دست یافت.

در سال ۱۳۸۲

با توجه به نیاز بازار داخلی به فناوریهای روز دنیا، هیئت مدیره وقت، تصمیم به سرمایه گذاری جدید و ورود به بازارهای تخصصی گرفته و فعالیت خود را به صورت تخصصی آغاز نمود. هم اکنون شرکت رایان پویش با مدیریت آقای مهندس علیرضا مدنی با کادری متخصص، تحصیلکرده و مجرب یکی از شرکت های معتبر و شناخته شده ایرانی در حوزه فعالیت های خود می باشد. مفتخریم امروز با تجربه تر و توانمند تر از دیروز توانسته ایم با داشتن نمایندگی محصولات معتبر از شرکت های جهانی به ارائه کالا و خدمات مطلوب پردازیم.



